

### **Supervisory team**

Dr Bere Mahoney, Professor Eleanor Bradley, Professor Alison Kington

### **Director of Studies:**

Dr Bere Mahoney, Principal Lecturer in Psychology and Social Science Lead for the Three Counties Medical School, Living Well with Long-Term Conditions Research Group, School, University of Worcester

### **Supervisors:**

Professor Eleanor Bradley, Director of Research and Knowledge Exchange for the College of Health and Science, Living Well with Long-Term Conditions Research Group, School, University of Worcester

Professor Alison Kington, Professor in Psychology of Education for Institute of Education, Social Psychology of Education Research Group, University of Worcester

**Research Group:** [Living Well with Long-Term Conditions Research Group](#)

### **The PhD Opportunity**

can be severe and lead to a potentially life-threatening reaction or anaphylaxis (Turner et al, 2018, p.1), and one of the most common chronic conditions in Europe (Muraro, 2015).

The UK particularly faces an allergy crisis. UK allergy rates amongst adults and children are some of the highest in Europe (APPG, October 2021; Sigurdardottir et al, 2021). Allergy can develop across the lifespan but is common in childhood and can become lifelong (Chan et al, 2020; Waserman & Wason, 2001). Allergy prevalence is difficult to estimate, especially among children (Grabhenrich et al, 2020). Nevertheless, estimates suggest proven and undiagnosed allergy prevalence among UK school age children is high (APPG, 2021), and 10% of primary school age with

threatening anaphylactic reaction (NICE, 2020–2018). Research on ways of avoiding and responding to allergy-related medical emergencies among young people focuses on two transition points (Kaplan, 2022; Sanagavarapu, 2017, 2016, 2012): the transition to school, and from adolescence to adulthood. Research on the transition from primary to secondary school is sparse (Newman, 2022) despite known psychosocial challenges this transition represents for children in general (Coffey, 2013).

We are looking for a PhD student to develop a qualitative or mixed methods study to enhance our understanding of the experiences of children living with proven and undiagnosed allergy before and after the transition from primary to secondary school. This multi-disciplinary, collaborative study will run across both UW, NHS, and school environments, offering an opportunity for the successful applicant to develop an applied, impactful research study which could inform policy and practice within schools and NHS Trusts.

### References

APPG (October, 2021) *Meeting the challenges of the National Allergy Crisis A report from the All Party Parliamentary Group for Allergy and the National Allergy Strategy Group*. <https://www.bsaci.org/wp-content/uploads/2021/10/Meeting-the-challenges-of-the-national-allergy-crisis-2021.pdf>

BSACI (nd) *Allergy Organisations join together to launch new guidelines to safeguard pupils with severe allergies while they are at school* [https://www.bsaci.org/allergy-organisations-join-together-to-launch-new-guidelines-to-safeguard-pupils-with-severe-allergies-while-they-are-at](https://www.bsaci.org/allergy-organisations-join-together-to-launch-new-guidelines-to-safeguard-pupils-with-severe-allergies-while-they-are-at-school)

Newman, K. L., Chater, A., & Knibb, R. C. (2022). Beliefs about food allergies in adolescents aged 11–19 years: A systematic review. *Clinical and Translational Allergy*, 12(4), e12142.

NICE. (2020). Anaphylaxis: assessment and referral after emergency treatment. [www.nice.org.uk/guidance/cg134](http://www.nice.org.uk/guidance/cg134)

NICE. (2018). *Food allergy in under 19s: assessment and diagnosis*. [www.nice.org.uk/guidance/cg116](http://www.nice.org.uk/guidance/cg116)

school. *Cogent Education*, 4(1), 1304617.

Sanagavarapu, P., Said, M., Katelaris, C., & Wainstein, B. (2016). Transition to school anxiety for mothers of children with food allergy: Implications for educators. *Australasian Journal of Early Childhood*, 41(4), 115-122.

Sanagavarapu, P. (2012). Don't forget to pack my EpiPen® please: What issues does food allergy present for children's starting school? *Australasian Journal of Early Childhood*, 37(2), 56-62.

Sigurdardottir, S. T., Jonasson, K., Clausen, M., Lilja Björnsdottir, K., Sigurdardottir, S. E., Roberts, G., ... & Keil, T. (2021). Prevalence and early life risk factors of school age allergic multimorbidity: The EuroPrevall iFAAM birth cohort. *Allergy*, 76(9), 2855-2865.

Sánchez-Borges, M., Martín, B. L., Muraro, A. M., Wood, R. A., Agache, I. O., Ansoategui, I. J., ... & Rosenwasser, L. (2018). The importance of allergic disease in public health: an iCAALL statement. *World Allergy Organization Journal*, 11(1), 1-3.

Subramanian, A., Adderley, N. J., Gkoutos, G. V., Gokhale, K. M., Nirantharakumar, K., & Krishna, M. T. (2021). Ethnicity-b6 0 594.96 842.04 reW\*nB80 g10 g10 g10 g10 g6.43 Tm0 g



## Research Degrees at Warwick

Our research students are central to our overall research strategy. They are working at the cutting edge of their disciplines and driving forward the quality of our research.

SHS

100

SHS

100

SHS

100

SHS

100

SHS

100

SHS

100

SHS

100

SHS

100

SHS

100

SHS

100

SHS

100

SHS

100